
Meridian 1

Flexible Numbering Plan

Description, operation, and administration

Document Number: 553-2751-105

Document Release: Standard 5.00

Date: October 1997

© 1994, 1997

All rights reserved

Printed in Canada

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules, and the radio interference regulations of Industry Canada. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Revision history

October 1997

Standard, Issue 5.00. This document is updated for X11 Release 23.0x.

August 1996

Standard, Issue 4.00. This document is updated for X11 Release 22.0x.

December 1995

Standard, Issue 3.00. This document is updated for X11 Release 21.

October 1995

Standard, Issue 2.0. This document is updated for X11 Release 20.1x.

July 1994

Standard, Issue 1.0. This document introduces Flexible Numbering Plan to the Global Marketplace in X11 Release 20.0x.

Contents

Introduction	1
Description	3
On-net dialing	3
Off-net dialing	4
Operation	7
On-net dialing	7
Location code	7
End-of-dial timing	8
Coordinated Dialing Plan	8
End-of-dial timing	10
Universal Numbering Plan	10
Group Dialing Plan	15
Digit Display with Integrated Services Digital Network	17
Off-net dialing	20
Special Numbers	20
End-of-dial timing	24
NPA and NXX	25
End-of-dial timing	28
Vacant Number Routing	29
Free Calling Area Screening	29
Free Special Number Screening	30
Capacity Expansion	30
RLB and DMI Expansion	30

LOC, LSC, DSC TSC Expansion	30
AC1 and AC2 Expansion	30
Feature interactions	31
Digital Access Signaling System 2 (DASS2) and Digital Private Network Signaling System 1 (DPNSS1)	31
DN Entries	31
ESN feature interactions	31
Group Dialing Plan	31
Integrated Services Digital Network	31
Vacant Number Routing	31
Supplemental Digit Restriction or Recognition	32
Transferable DNs	32
Varying Length DNs	32
Administration	33
Electronic Switched Network data	34
Electronic Switched Network data	36
Electronic Switched Network translation tables	40
Customer Data Block administration (Pre-Release 21)	45
Customer Data Block administration (Release 21 & 22)	47
Customer Data Block administration (Release 23)	49
List of terms	51

List of figures

Figure 1	
Universal Numbering Plan with transferable DNs	11
Figure 2	
Universal Numbering Plan network following transferable DN move	13
Figure 3	
Group Dialing Plan	16
Figure 4	
Sample GDP network	18
Figure 5	
Sample network to illustrate off-net dialing	26